

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	82	translat\$3 with (self-modify\$3 (self adj1 modify\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 15:05
L2	3	(translat\$3 with (self-modify\$3 (self adj1 modify\$3))).clm.	US-PGPUB	OR	OFF	2007/03/14 15:06
L3	2	(binary with translat\$3 with semantic\$4).clm.	US-PGPUB	OR	OFF	2007/03/14 15:07
L4	180	717/138.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 15:09
L5	286	717/139.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 15:12
L6	554	703/27.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 15:16
L7	672	712/227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 15:17
L8	557	718/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 15:17
S1	14	"instruction set" with translat\$3 with float\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 09:57
S2	2	"instruction set" with translat\$3 with flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/26 12:27

## EAST Search History

S3	12	binary with translat\$3 same isa	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/26 12:27
S4	13	binary with translat\$3 with flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/27 08:03
S5	1	("5802373").PN.	USPAT; USOCR	OR	OFF	2004/02/27 10:42
S6	10	binary with translat\$3 and command adj1 line with (option flag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:11
S7	6	translat\$3 with command adj1 line with (option flag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/27 08:11
S8	21	translat\$3 with (binary "instruction set" architecture) and command adj1 line with (option flag parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/04 14:52
S9	50	"32-bit" with "64-bit" with translat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/27 08:34
S10	19	"instruction set translator"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/27 08:37
S11	2	"instruction set translator" and "command line"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/27 08:35
S12	350	"instruction set" near5 translat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/27 08:37

## EAST Search History

S13	16	"instruction set" near5 translat\$3 and "command line"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/27 08:37
S14	20	(out-of-order "out of order") with translat\$3 with (in-order "in order")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/27 13:54
S15	0	"EXPONENTIAL TECHNOLOGY- INC. ".as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/27 11:52
S16	68	"EXPONENTIAL TECHNOLOGY".as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/27 13:53
S17	5	(out-of-order "out of order") with translat\$3 and "binary translation"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/27 13:54
S18	2	"5802373".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/04 14:53
S19	190	717/136.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 07:34
S20	94	717/137.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 07:34
S21	97	717/138.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 07:34
S22	161	717/139.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 07:35

## EAST Search History

S23	349	712/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 07:36
S24	301	712/208.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 07:36
S25	267	712/209.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 07:36
S26	430	712/227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 08:13
S27	2	((("5802373") or ("6496922"))).PN.	USPAT; USOCR	OR	OFF	2004/03/05 08:14
S29	22	("5287490" "5301325" "5307492" "5307504" "5317740" "5339422" "5428786" "5432795" "5450575" "5507030" "5574887" "5574927" "5598560").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 09:57
S30	11	binary with translat\$3 with disabl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 10:48
S31	15	binary with translat\$3 with ignor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:17
S32	46	binary with translat\$3 with semantic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:20
S33	2	binary with translat\$3 with semantic\$4 with (different noncompatib\$6 non-compatib\$6 uncompatib\$6 non-complian\$4 noncomplian\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:21

## EAST Search History

S34	0	binary with translats\$3 with (noncompatib\$6 non-compatib\$6 uncompatib\$6 non-complian\$4 noncomplian\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:21
S35	5	binary with translats\$3 with (unnecessary unneeded)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:22
S36	22	binary with translats\$3 with reduc\$3 with overhead	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:26
S37	150	binary with translats\$3 with configur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:32
S38	0	binary with translats\$3 with configur\$5 with (option flag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:26
S39	27	binary with translats\$3 with (option flag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:27
S40	39	binary with translats\$3 with compatibility	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:27
S41	0	binary with translats\$3 with relax\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:27
S42	0	binary with translats\$3 with loose	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:28
S43	5	binary with translats\$3 with command adj1 line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:28

## EAST Search History

S44	1	binary with translat\$3 with partial\$2 near2 compatib\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:32
S45	1	binary with translat\$3 with partial\$2 near2 \$4compatib\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:33
S46	4	binary with translat\$3 same partial\$2 near2 \$4compatib\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:35
S47	11	binary with translat\$3 same (set\$5 control\$5) near2 \$4compatib\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:38
S48	46	binary with translat\$3 same only with need\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:41
S49	263	binary with translat\$3 with only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:41
S50	134	binary with translat\$3 with user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:41
S51	61	binary near2 translat\$3 with user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:43
S52	416	"compatibility mode"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:44
S53	2	"6199202".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:52

## EAST Search History

S54	188	"partial compatibility"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:52
S55	0	binary with translat\$3 same control\$4 with compatib7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 10:49
S56	0	binary with translat\$3 and control\$4 with compatib7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 10:49
S57	19	binary with translat\$3 same control\$4 with compatib\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 15:05